## IN THE CLAIMS

Please cancel claims 4 and 12 and amended the remaining claims as follows:

1. (Currently amended) A mobile phone An arrangement for creating a user detected vibration with a low mass actuator, comprising:

a mobile phone product cover having two parts coupled by an elastic joint; and

a low mass actuator coupled between the two parts, responsive to an actuation signal, for vibrating the two parts of the <u>mobile phone product</u> cover in relation to one another so as to create a detectable vibration for a user of the <u>mobile phone</u>.

- (Currently amended) An arrangement A mobile phone according to claim 1, wherein the elastic joint is made from an adhesive layer.
- 3. (Currently amended ) An arrangement A mobile phone according to claim 1, wherein the low mass actuator is a linear actuator.
- 4. (Canceled) An arrangement according to claim 1, wherein the arrangement is a mobile phone.
- 5. (Currently amended) An arrangement A mobile phone according to claim 1, wherein the actuation motor moves the two parts of the product cover a distance in a range of about 5-15 microns.

6. (Currently amended) An arrangement A mobile phone according to claim 1, wherein the mobile phone arrangement further comprises a battery for powering the actuation motor.

- 7. (Currently amended) An arrangementA mobile phone according to claim 1, wherein the mobile phone arrangement is a small product, including a wrist phone, amulet/pendulum/pen-phones, or small standard phones or accessories.
  - 8. (Currently amended) A mobile phone product comprising:
  - a mobile phone product cover having two parts; and

an actuation motor coupled between the two parts, responsive to an actuation signal, for moving the two parts of the <u>mobile phone product</u> cover in relation to one another.

- 9. (Currently amended) A <u>product-mobile phone</u> according to claim 8, wherein the two parts of the <u>mobile phone product-cover</u> are coupled by an elastic joint.
- 10. (Currently amended) A product mobile phone according to claim 9, wherein the elastic joint is made from an adhesive layer.
- 11. (Currently amended) A <u>product mobile phone</u> according to claim 8, wherein the actuation motor is a linear actuator.

12. (Canceled) A product according to claim 8, wherein the product is a mobile phone.

- 13. (Currently amended) A <u>product mobile phone</u> according to claim 8, wherein the actuation motor moves the two parts of the <u>mobile phone product cover</u> a distance in a range of about 5-15 microns.
- 14. (Currently amended) A <u>product mobile phone</u> according to claim 8, wherein the <u>mobile phone product</u> further comprises a battery for powering the actuation motor.
- 15. (Previously presented) A <u>product\_mobile phone</u> according to claim 8, wherein the elastic joint contains or encloses the low mass actuator.
- 16. (Previously presented) An arrangement M mobile phone according to claim1, wherein the elastic joint contains or encloses the low mass actuator.
- 17. (Previously presented) An arrangement A mobile phone according to claim1, wherein the two parts of the mobile phone product cover are inelastic.
- 18. (Previously presented) A <u>product mobile phone</u> according to claim 8, wherein the two parts of the <u>mobile phone product cover</u> are inelastic.

## 19. (New) A mobile phone comprising:

means for covering a mobile phone having two parts coupled by an elastic joint; and

means for coupling a low mass actuator between the two parts, responsive to an actuation signal, for vibrating the two parts in relation to one another so as to create a detectable vibration for a user of the mobile phone.